

ELE-MART
ELE-MART CO., LTD.



HOME ELEVATOR ลิฟต์บ้าน
PASSENGER ELEVATOR ลิฟต์โดยสาร




PROFESSIONAL QUALITY, REFLECT THE VALUE OF SERVICE,
HOSTED THE CLASSIC & LUXURY ELEVATORS




PASSENGER ELEVATORS WITHOUT MACHINE ROOM (MACHINE ROOMLESS)


LAYOUT



HOISTWAY PLAN



MACHINE PLAN



SECTION ELEVATION

Overhead and Pit Dimensions (Unit : mm)

Speed (m/min)	Overhead (OH)	Pit (PD)
60	4200	1500
90	4500	1600
105	4600	1700


Standard Dimensions and Reaction Load

(Unit : mm)


Model	Passenger (Persons)	Load (kg) Capacity	Opening (OP)	Car Inside (CW x CD x CH)	Hoistway (HWW x HWD)	Reaction Load (kg)					
						R1	R2	R3	R4	R5	R6
P8-CO-800	8	630	CO-800	1100 x 1400 x 2370	1900 x 1800	2300	1800	1000	-	4900	4000
P10-CO-800	10	800	CO-800	1400 x 1350 x 2370	2100 x 1800	3500	2000	1200	1200	6200	5000
P13-CO-900	13	1000	CO-900	1600 x 1500 x 2370	2400 x 2000	4200	2200	1400	1400	7400	5800
P16-CO-900	16	1250	CO-1000	1700 x 1500 x 2370	2500 x 2200	4800	2800	1800	1800	9400	7000
P18-CO-1100	18	1350	CO-1100	2000 x 1500 x 2370	2900 x 2200	5300	3100	2000	2000	9800	7600
P21-CO-1100	21	1600	CO-1100	2000 x 1750 x 2370	2900 x 2400	5800	3500	2300	2300	10500	8200

PASSENGER ELEVATORS WITHOUT MACHINE ROOM (MACHINE ROOMLESS)


LAYOUT



HOISTWAY PLAN



MACHINE PLAN



SECTION ELEVATION

Overhead and Pit Dimensions (Unit : mm)

Speed (m/min)	Overhead (OH)	Pit (PD)
60,90,105	4000	1500

Standard Dimensions and Reaction Load

(Unit : mm)

Model	Passenger (Persons)	Load (kg) Capacity	Opening (OP)	Car Inside (CW x CD x CH)	Hoistway (HWW x HWD)	Reaction Load (kg)					
						R1	R2	R3	R4	R5	R6
P8-CO-800	8	630	CO-800	1100 x 1400 x 2370	1800 x 1850	4400	3300	3100	2300	4900	4000
P10-CO-800	10	800	CO-800	1400 x 1350 x 2370	2150 x 1800	4600	3400	3200	2500	6200	5000
P13-CO-900	13	1000	CO-900	1600 x 1500 x 2370	2350 x 2000	5000	3600	3700	2800	7400	5800
P16-CO-900	16	1250	CO-1000	1700 x 1500 x 2370	2550 x 2200	5400	3900	4200	3100	9400	7000
P18-CO-1100	18	1350	CO-1100	2000 x 1500 x 2370	2900 x 2200	5600	4000	4300	3400	9800	7600
P21-CO-1100	21	1600	CO-1100	2000 x 1750 x 2370	2900 x 2400	6000	4300	4800	3700	10500	8200